

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG2604.1.1 001 295 0806 001 295 3006 1100 9929 040 323 800	BENZ (1635LS) NEOPLAM	Gray Cast Iron Φ26.99mm 35mm, 2 Φ6.5 M14×1-6H
	KG2602.1.1 001 295 0806	BENZ (1638LS)	Gray Cast Iron Φ26.99mm 35mm, 2 Φ6.5 M14×1 6H
	KG2395.1.7 KG2395.1.4 001 295 6006 000 295 6806 001 295 2906 000 295 9406	BENZ (1013AK)	Gray Cast Iron Φ23.81mm 35mm, 2 Φ6.5 M14×1 6H
	KG2395.1.3 KG2395.1.8 SAC5712	BENZ (1013AK) (1217KO)	Gray Cast Iron Φ23.81mm 35mm, 2 Φ6.5 M14×1 7H
	KG2007.1.1 040 310 200 001 295 7106 1101 0067	BENZ (3250AF) NEOPLAM	Gray Cast Iron Φ20.64mm 35mm, 2 Φ6.5 M14×1 6H
	KG23028.0.1 001 295 7806 A001 295 7806	BENZ (404) KASSBOHRER	Gray Cast Iron Φ23.81mm 35mm, 2 Φ6.5 M14×1 6H
	MKG190110.4.2 002 295 0706	BENZ (1832LS)	Plastic Φ19.05mm 45mm,-2 M6 6H Φ12 Φ9, rod 84mm Mineral Oil
	MKG20003.4.2 002 295 1006	BENZ (1016L)	Plastic Φ20.64mm 45mm,-2 M6 6H Φ12 Φ9, rod 92mm Mineral Oil
	KG20001.0.10 8.383.345.000 001 295 9306 001 295 9506	BENZ (2523L) KASSBOHRER	Plastic Φ20.64mm 45mm,-2 M6 6H Φ12 Φ9, rod 84mm Brake Fluid

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG26703.1.1 8282 211 000 8282 211 000D	KASSBOHRER	Gray Cast Iron Φ26.99mm 60mm, 2 Φ9 M14×1.5 6H
	KG19046.1.2 000 295 5006 000 295 6006 000 295 6606 000 295 7706 001 295 1506 001 295 8706 308 295 7006	BENZ (PL1013)	Gray Cast Iron Φ19.05mm 35mm, 2 Φ6.5 M12×1 6H
	664 295 7006 RCCE 0037.8 350 295 7006 RCCE 0010.6	BENZ	Gray Cast Iron Φ20.64mm 35mm, 2 Φ6.5 M12×1 6H
	345 295 7006 RCCE 0023.8	BENZ	Gray Cast Iron Φ23.81mm 35mm, 2 Φ6.5 M14×1 6H,
	KG2008.0.1 388 295 7006 001 295 7206 RCCE 0036.1	BENZ 1222LS) MK1222F)	Gray Cast Iron Φ20.64mm 45mm, 2- M6- 6H M14×1.5- 6H Length:152mm
	693 295 7006 RCCE 0071.0	BENZ	Gray Cast Iron Φ20.64mm 45mm, 2- M6- 6H M14×1.5- 6H Length:167mm
	KG22019.1.1 001 295 7406	BENZ (1222AF)	Gray Cast Iron Φ22.22mm 45mm, 2- M6- 6H M12×1- 6H,
	KG22019.1.4 673 295 0006	BENZ (1117K)	Gray Cast Iron Φ22.22mm 45mm, 2- M6- 6H M12×1- 6H
	KG23031.0.1 001 295 5306 001 295 9706 001 295 2506 388 295 7206 RCCE 0033.5 680 295 0006	BENZ 1114AK)	Gray Cast Iron Φ23.81mm 45mm, 2- M6- 6H M14×1- 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG23031.0.2 693 295 7006 001 295 7006 RCCE 0071.0	BENZ 1417AK)	Gray Cast Iron Φ23.81mm 45mm, 2- M6- 6H M14×1- 6H
	KG3401.0.2 000 295 5606 000 295 6706 001 295 5506 A001 295 5506	BENZ 303.305ST) KASSBOHRER	Gray Cast Iron Φ34.92mm 71.5mm, 3 Φ11 M14×1.5 6H
	KG190084.0.2 002 295 0406 002 295 0306	BENZ 1831AK)	Plastic Φ19.05mm 45mm, 2- M6- 6H Φ12- Φ9, rod 84mm Brake Fluid
	MKG190110.4.1 002 295 0806	BENZ 1823AK)	Plastic Φ19.05mm 45mm, 2- M6- 6H Φ12- Φ9, rod 92mm Mineral Oil
	KG2395.1.4 000 295 9406	BENZ 1200T)	Gray Cast Iron Φ23.81mm 35mm, 2 Φ6.5 M14×1 6H
	KG20001.0.8 001 295 9106	BENZ 1017AK)	Plastic Φ20.64mm 45mm, 2-M6-6H Φ12-Φ9, rod 92mm Brake Fluid
	KG190084.0.1 002 295 0206	BENZ 1823LS)	Plastic Φ19.05mm 45mm, 2 -M6 -6H Φ12 -Φ9, rod 92mm Brake Fluid
	KG190072.0.1 001 295 5206 388 295 7106 667 290 0212 001 295 9606	BENZ LN2 1114AK)	Gray Cast Iron ø19.05mm 45mm, 2 M6 6H M12×1 6H
	KG190042.0.1 001 295 7306	BENZ MK 1224AF)	Gray Cast Iron Φ19.05mm 45mm, 2 M6 6H M12×1 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG19098.1.7 001 295 2406	BENZ (LN2 1314KO)	Gray Cast Iron Φ19.05mm 45mm, 2—M6—6H M12×1—6H,
	KG190022.0.1 001 295 1006 001 295 7706 001 295 6806 202 290 0112	BENZ (W201)190D(201.1 28)	Gray Cast Iron Φ19.05mm 35mm, 2—Φ6 M12×1—6H
	KG 19055.1.1 000 295 4006 000 295 9106 001 295 4406 001 295 1406	BENZ (C123) 280CE	Gray Cast Iron Φ19.05mm 35mm, 2—Φ6 M12×1—6H
	970 150 0010 974 010 0060 000 250 0562 974 010 0080 000 250 0062	BENZ	Plastic Φ26mm, Φ69mm 85mm, 2—Φ9 Φ12—Φ9, Brake Fluid
	A384 295 0006	BENZ	Plastic Φ24mm 45mm, 2—M6—6H Φ12—Φ9, rod 65mm Brake Fluid
	A979 295 0006	BENZ	Plastic Φ24mm 45mm, 2—M6—6H Φ12—Φ9, rod 127mm Brake Fluid
	KG190050.1.1 001 295 7906 001 295 1106 001 295 8606 001 295 1706 001 295 7606	BENZ (601) 207 D 2.4	Gray Cast Iron Φ19.05mm 60mm, 2—Φ9 M12×1—6H
	KG28014.1.1 1614 351 1669 488 1581 209 1620 462	VOLVO (F10/F12/F16)	Gray Cast Iron Φ28.57mm 65mm, 2—M10—6H M14×1.5—6H
	KG28014.1.1 1614 351-3 1669 488-7 1581 209-2 1620 462-0	VOLVO (F10/F12/F16)	Aluminum Φ28.57mm 65mm, 2—M10—6H M14×1.5—6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG28012.0.1 1628 218 1628 218-8	VOLVO (FH12/520)	Gray Cast Iron Φ28.57mm 60mm, 2—M8—6H M12×1.5—6H
	KG28019.4.2 2055 3587 20553 5588 2083 5246 3192 696 8172 824	VOLVO (FH12/340, FH12/380)	Plastic 60mm, 2—M8—6H Φ12—Φ9, rod 157mm Brake Fluid
	KG2397.1.19 6771 722 3953 328 3127 318 6771 722-3 3953 328-6 3127 318-8 6857 432 6028 036 6028 036-9 6857 432-6	VOLVO (F4/F6/F7)	Aluminum Φ23.81mm 60mm, 2—Φ9 M14×1.5—6H,
	KG2397.1.14 395 0218 395 3045	VOLVO (G210.16)	Aluminum Φ23.81mm 60mm, 2—Φ9 M14×1.25— 6H,
	KG2397.1.17 3952 543	VOLVO (L6 FL608)	Gray Cast Iron Φ23.81mm 60mm, 2—Φ9 M14×1.5—6H, External thread
	965 001 9022 2074 6915	VOLVO	Plastic Φ26mm Φ12—Φ9 Brake Fluid
	970 051 5050 2045 8737	VOLVO	Aluminum Φ37.5mm 92mm, 4—Φ9 M14×1.5—6H
	8089 680	VOLVO	Gray Cast Iron Φ37mm 52mm, 2—Φ11 M14×1.5—6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	623160AM 81.30715.6119 81.30715.6111 81.30715.6121	MAN (EM222/EM223)	Aluminum Φ24mm 70mm, 2 _M8 _6H M14×1.5 _6H
	KG23027.0.1 81.30715.6119 81.30715.6111 81.30715.6121	MAN (EM222/EM223)	Gray Cast Iron Φ23.81mm 70mm, 2 _M8 _6H M14×1.5 _6H
	623109AM 81.30715.6120 81.30715.6108 81.30715.6122	MAN (19.323FLK)	Aluminum Φ26mm 70mm, 2 _M8 _6H M14×1.5 _6H
	KG2597.1.1 81.30715.6120 81.30715.6108 81.30715.6122	MAN (19.323FLK)	Gray Cast Iron Φ25.4mm 70mm, 2 _M8 _6H M14×1.5 _6H
	KG2597.1.1 81.30715.6112	MAN (FRH362,FRH292)	Aluminum ø25.4mm 70mm, 2 _M8 _6H M14×1.5 _6H
	KG23030.0.2 81.30715.6135	MAN (19.233EC CNG)	Aluminum Φ23.81mm 70mm, 2 _M8 _6H Φ12 _Φ9
	KG25007.0.3 81.30715.6136 81.30715.6137	MAN (19.233EC CNG)	Aluminum Φ25.4mm 70mm, 2 _M8 _6H Φ12 _Φ9
	KG22028.0.2 81.30715.6141	MAN (M14.224MAK)	Aluminum Φ22.22mm 70mm, 2 _M8 _6H Φ12 _Φ9
	KG2-3401.0.1 81.30715.6051 81.30715.6037 81.30715.6092	MAN (SG220)	Gray Cast Iron Φ34.92mm 71.5mm, 3_ Φ11 M14×1.5 _6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	MKG23852.1.1 81.30715.6152	MAN (TGA18.310FAC)	Plastic Φ23.81 mm Φ40.00 mm Mineral Oil
	MKG23852.4.3 81.30715.6154 81.30715.6149 81.30715.6156	MAN (TGA18.310FAC)	Plastic Φ23.81 mm Φ40.00 mm Mineral Oil
	KG22027.0.2 81.30715.6140	MAN (10.145LK)	Aluminum Φ22.22mm 30mm, 2_Φ9 Φ12_Φ9
	KG250006.0.2 81.30715.6132 181.30715.6132	MAN (EL202)	Aluminum Φ25.4mm 30mm, 2_Φ9 Φ12_Φ9
	KG23712.1.4 81.30715.6065 81.30715.6077 81.30715.6115	MAN	Gray Cast Iron Φ23.81mm 60mm, 2_Φ9 M14×1.5_6H
	KG26701.1.3 81.30715.6075 81.30715.6068 81.30715.6117	MAN	Gray Cast Iron Φ26.99mm 60mm, 2_Φ9 M14×1.5_6H
	KG25794.1.3 81.30715.6076 81.30715.6066 81.30715.6116	MAN (G8.136FOC)	Gray Cast Iron Φ25.4mm 60mm, 2_Φ9 M14×1.5_6H
	KG28706.1.1 81.30715.6084	MAN	Gray Cast Iron Φ28.57mm 60mm, 2_Φ9 M14×1.5_6H
	KG23791.1.2 81.30715.6028 81.30715.6011 81.30715.6040	MAN	Gray Cast Iron Φ23.81mm 60mm, 2_Φ9 M14×1.5_6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG25792.1.1 81.30715.6057 81.30715.6017 81.30715.6059	MAN	Gray Cast Iron ø25.4mm 60mm, 2_ Φ9 M14×1.5_ 6H
	974 010 0060 974 010 0080 81.30700.6018 81.30700.6019 81.30700.6020 81.30700.6022	MAN (TGL10.180 FC)	Plastic Φ26mm, Φ69mm 85mm, 2_ Φ9 Φ12_ Φ9 Brake Fluid
	KG19080.1.3 81.30715.6069 81.30715.6105 81.30715.6123 81.30715.6124	MAN (G10.136FL)	Gray Cast Iron Φ19.05mm 60mm, 2_ Φ9 M12×1_ 6H
	K 5530	MAN	Gray Cast Iron Φ26mm 69mm, 2_ Φ9 1_ M14×1.5_ 6H
	KG250004.0.2 136 1136 110 5332 110 5332-9 111 4685 111 4685-9	SCANIA (112H/280 112H/305)	Gray Cast Iron Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H
	624 503 AM 111 4685 136 1136 110 5332	SCANIA (112H/280 112H/305)	Aluminum Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H
	624 502 AM 135 8801	SCANIA	Aluminum Φ26mm 60mm, 2_ Φ9 M14×1.5_ 6H
	100 017 9039 AM 192 7829 180 0442 152 3400	SCANIA (GPRT-series)	Aluminum Φ23.81mm 3 M8 6H Φ12_ Φ9
	225 0105 537 194	SCANIA	Aluminum Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	415 126	SCANIA	Aluminum Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H
	KG 2595.1.4 292 962 355 973	SCANIA (112H/280)	Gray Cast Iron Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H
	KG 2596.1.5 446 414 428 372	SCANIA (BUS/K113)	Gray Cast Iron Φ25.4mm 60mm, 2_ Φ9 M12×1.5_ 6H
	KG22019.1.1 127 8342	DAF	Gray Cast Iron Φ22.22mm 45mm, 2_ M6_ 6H M12×1_ 6H
	KG250001.0.2 395 161 109 740 963 92	DAF (AF75 240)	Gray Cast Iron Φ25.4mm 60mm, 3_ Φ9 M14×1.5_ 6H
	626 760 AM 133 9412 134 8733 126 5209	DAF	Aluminum Φ26mm 60mm, 2_ Φ8.5 M14×1.5_ 6H
	626 761 AM 134 8734	DAF (CF65/75.F65.F75)	Aluminum Φ24mm 60mm, 2_ Φ8.5 M14×1.5_ 6H,
	626 762 AM 139 5485 134 8735 133 4482	DAF (CF75/85/XF95)	Aluminum Φ22mm 60mm, 2_ Φ8.5 M14×1.5_ 6H
	KG28010.0.1 894 880 094 660 372 589 223 443	DAF (AF75 270/300)	Gray Cast Iron Φ28.57mm 60mm, 2_ Φ9 M14×1.5_ 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG28011.0.1 4075 1820 260 242 390 487 532 259 751 820	DAF (1600AF/1600DF)	Gray Cast Iron Φ28.57mm 71.5mm, 2— M10— 6H M14×1.5— 6H
	KG22026.0.1 129 1190	DAF (FT95.500)	Gray Cast Iron Φ22.22mm 60mm, 2— Φ9 M14×1.5— 6H
	KG250005.0.1 125 5105	DAF FAV/FA65.210)	Gray Cast Iron Φ25.4mm 60mm, 2— Φ9 M14×1.5— 6H
	965 001 9022 162 3053	DAF (FA75 CF250)	Plastic Φ26mm Φ12 Φ9 Brake Fluid
	KN3103B1 166 495 533 144	DAF (1200FA/1200DD)	Gray Cast Iron Φ31.75mm 61mm, 2— Φ10.5 M14×1.5— 6H
	KG2394.1.12 129 1509 691 041	DAF (2800NAT . 2826DKS)	Gray Cast Iron Φ23.81mm 42mm, 4— Φ9 M12×1.5— 6H
	623 104 AM 5000 877 187	RENAULT V.I.	Aluminum Φ26mm 60mm, 2— Φ8.5 3/4"— 16UNF 1/2"— 20UNF
	623 105 AM 5000 877 188	RENAULT V.I.	Aluminum Φ28mm 60mm, 2— Φ8.5 3/4"— 16UNF 1/2"— 20UNF
	623 106 AM 5000 792 359	RENAULT V.I.	Aluminum Φ26mm 60mm, 2— Φ8.5 1/2"— 20UNF

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	624 248 AM 5010 251 357	RENAULT V.I.	Aluminum Φ28mm 60mm, 2_ Φ8.5 1/2"— 20UNF
	KG28021.0.1 626 159 AM 5001 834 842 5010 260 052	RENAULT V.I. (kerax260.18)	Aluminum Φ28mm 60mm, 2_ Φ8.5 M14×1.5_ 6H
	625 536 AM 5001 834 842	RENAULT V.I.	Aluminum Φ28mm 60mm, 2_ Φ8.5 M14×1.5_ 6H Rod Oil cup
	KG23712.1.4 5000 809 514	RENAULT V.I.	Gray Cast Iron Φ23.81mm 60mm, 2_ Φ9 M14×1.5_ 6H
	KG 25794.1.3 5000 286 420	RENAULT V.I.	Gray Cast Iron Φ25.4mm 60mm, 2_ Φ9 M14×1.5_ 6H
	KG 2397.1.19 5010 056 380 5516 028 036	RENAULT V.I.	Aluminum Φ23.81mm 60mm, 2_ Φ9 M14×1.5_ 6H
	KG2397.1.14 5010 260 228	RENAULT V.I. (G210-16)	Aluminum Φ23.81mm 60mm, 2_ Φ9 M14×1.25_ 6H,
	KG 23791.1.2 5000 243 266 5000 275 012	RENAULT V.I.	Gray Cast Iron Φ23.81mm 60mm, 2_ Φ9 M14×1.5_ 6H
	KG 25792.1.1 5000 023 049 5000 023 159	RENAULT V.I.	Gray Cast Iron Φ25.4mm 60mm, 2_ Φ9 M14×1.5_ 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG28018.1.2 5010 245 493 5010 452 711	RENAULT V.I. (AE390.18)	Aluminum Φ28.57mm 60mm, 2—Φ9 M14×1.5—6H
	965 001 9022 5001 864 263 5001 857 546	RENAULT V.I.	Plastic Φ26mm Φ12—Φ9 Brake Fluid
	5000 785 430	RENAULT V.I.	Gray Cast Iron Φ25.4mm 60mm, 2—Φ9 1/2" —20UNF
	KG 2-3401.0.1 2505 616 0250 5616	IVECO	Gray Cast Iron Φ34.92mm 71.5mm, 3 —Φ11 1 —M14×1.5 —6H,
	KG 23017.1.1 4206 3311	IVECO R/PA160-23AH)	Gray Cast Iron Φ23.81mm 82mm, 2—Φ13 1—M14×1.5—6H,
	KG3107.0.1 4121 1005 4128 5355	IVECO LD190E42)	Aluminum Φ31.75mm 82mm, 2 —M12×1.5 —6H 82mm, 2 —Φ13 M14×1.5 —6H
	KG3107.1.1 4121 1006 4128 5356	IVECO LD190E38P)	Aluminum Φ31.75mm 82mm, 2 —M12×1.5 — 6H 82mm, 2 —Φ13 M14×1.5 —6H (Two plug)
	4121 1007 4128 5311	IVECO	Aluminum Φ31.75mm 82mm, 2 —M12×1.5 —6H 82mm, 2 —Φ13 M14×1.5 —6H (Three plug)
	KG250009.1.1 0485 3406 0485 3409 8604 136	IVECO (100E15) (100E15K)	Gray Cast Iron Φ25.4mm 82mm, 2 —M12×1.5 —6H 82mm, 2 —Φ13 1 —M14×1.5 —6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	KG 3106.0.1 0485 3408 4853 408 6159 0154	IVECO (120E28K)	Gray Cast Iron Φ31.75mm 82mm, 2—M12×1.5—6H 82mm, 2—Φ13 1—M14×1.5—6H
	KG 3105.0.1 0429 2543 0470 0150 6013 5419 0429 2542	IVECO (190-33P/T)	Gray Cast Iron Φ31.75mm 82mm, 2—Φ12.5 2—M14×1.5—6H
	965 001 9022 5031 27784	IVECO	Plastic Φ26mm Φ12—Φ9 Brake Fluid
	K013840 4128 5167 4128 5278	IVECO	Aluminum Φ31.75mm 100mm, 2—Φ9 1—M14×1.5—6H
	K043961 0001 8456	IVECO	Aluminum Φ25.4mm 100mm, 2—Φ9 1—M14×1.5—6H,
	KG23013.1.5 4202 6902 4210 0180	IVECO (P/PA160-23AHW)	Gray Cast Iron ø23.81mm 42mm, 4—ø9 1—M14×1.5—6H
	KG190066.1.1 0212 6891 421 7083 0421 7083 479 7845 0479 7845 480 0160 0480 0160	IVECO (Zeta109-14)	Gray Cast Iron Φ19.05mm 82mm, 2—Φ13 1—M12×1.5—6H
	KG2394.1.12 129 1509 0247 9001 691 041 4255 8437	IVECO (100-13AHW)	Gray Cast Iron Φ23.81mm 42mm, 4—Φ9 1—M12×1.5—6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	504 060 023	IVECO (The bus)	Aluminum Φ52mm , Φ25.4mm 82mm, 2—M12×1.75—6H 1—M14×1.5—6H,
	580 144 6199 580 131 7171	IVECO (The truck)	Aluminum Φ52mm , Φ25.4mm 82mm, 2—M12×1.75—6H 1—M14×1.5—6H,
	K044874N00 580 131 7167 504 086 387	IVECO (SM2PA)	Aluminum Φ76mm , Φ25.4mm 100mm, 2—Φ9 1—M12×1.5—6H, (Two plug)
	580 157 4722	IVECO	Aluminum Φ76mm , Φ25.4mm 100mm, 2—Φ9 1—M12×1.5—6H, (Three plug)
	K041394 580 147 5914 4120 0567 580 149 3723	IVECO	Aluminum Φ 25.4mm 72mm, 2—Φ 9 1—M14×1.5—6H (Two plug)
	KG190054.0.1 2D0.721.401	VOLKS WAGEN (2DM,2.5TDI)	Φ19.05mm 35mm, 2—Φ6 Φ12—Φ9, rod 68mm
	KG25794.1.3 692 721 405	VOLKS WAGEN	Gray Cast Iron Φ25.4mm 60mm, 2—Φ9 M14×1.5—6H
	2R 272 1257A K-036633 K-012404 K-45092	VOLKS WAGEN	Aluminum Φ69mm, Φ25.4mm 70mm, 4—M8 M12×1—6H Brake Fluid
	2EB 721 405 RCCE 0070.0	VOLKS WAGEN	Gray Cast Iron Φ22.22mm, 2—M6 M18×1.5—6H M12×1—6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	RCCE 0014.9	VOLKS WAGEN	Gray Cast Iron Φ19.05mm 54mm, 2- Φ9 M18×1.5- 6H M12×1- 6H
	RCCE 0029.8 FT3-721405(508)	VOLKS WAGEN	Gray Cast Iron Φ22.22mm 54mm, 2- Φ9 M18×1.5- 6H M12×1- 6H
	RCCE 0068.0 E5H7Z543BA (507)	FORD	Gray Cast Iron Φ22.22mm 60mm, 2- Φ9 M12×1- 6H
	KG 19080.1.3 600 721 405 B 600 721 405 A 600 721 405 D	VOLKS WAGEN	Gray Cast Iron Φ19.05mm 60mm, 2- Φ9 M12×1- 6H
	2P0-721-405 VFCC 0450.0 LNG 29-217	VOLKS WAGEN	Φ25.4mm 68mm, 2- Φ8.5 M18×1.5- 6H M12×1- 6H
	31420-1840	HINO FM2P 700/E13C)	Gray Cast Iron Φ25.4mm 60mm, 2- M12×1.5- 6H Φ11.5 Φ10
	31420-1810 31420-1820	HINO SH,FR700)	Gray Cast Iron Φ19.05mm 60mm, 2- M12×1.5- 6H Φ11.5 Φ10
		HINO	Gray Cast Iron Φ19.05mm 70mm, 2- M12×1.5- 6H M14×1.5- 6H
	31420-1410 31420-1410E	HINO (EF750)	Gray Cast Iron Φ19.05mm 80mm, 2- Φ12.5 M14×1.5- 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	31420-1470B 31420-1470	HINO (F17C)	Gray Cast Iron Φ25.4mm 80mm, 2— Φ12.5 M14×1.5— 6H
	46801-00Z00 11014-Z003-U	NISSAN (CKB450) (CWB520) (CW610-631)	Gray Cast Iron Φ19.05mm 80mm, 2— Φ12.5 M14×1.5— 6H
	ME656514 ME660596 KAC0155	MITSTUBISHI (T850)	Gray Cast Iron Φ19.05mm
	1-47500-222-0 1-47500-222-1 1-47500-206-1 1-47500-210-3 1-47500-231-0	ISUZU	Gray Cast Iron Φ22.2mm 80mm, 2_ Φ10 .5 M14×1.5_ 6H
	1-4750023-0	ISUZU (CXZ81K)	Gray Cast Iron Φ22.2mm 80mm, 2_ Φ10 .5 M14×1.5_ 6H
	31410-1030	HINO (RLWM017) (ZM100)	Gray Cast Iron Φ25.4mm 58mm, 3_ Φ11 M16×1.5_ 6H

Clutch Master Cylinder

PICTURE	OE NO.	MODEL	NOTE
	GND 12		Gray Cast Iron Φ15.87mm
	46801-Z4002 900786-U GND 17	NISSAN	Gray Cast Iron Φ19.05mm 54mm, 2_Φ10.5 1_M12×1_6H
	46801-Z2001 46801-Z2003 GND 18	NISSAN (RD8 CD46 CW52-67)	Gray Cast Iron Φ19.05mm
	46801-Z5007 GND 19	NISSAN	Gray Cast Iron Φ19.05mm
	31420-1610 GND 20	HINO (K13C)	Gray Cast Iron Φ25.4mm
	ME-165130	MITSTUBISHI	Gray Cast Iron Φ15.87mm
		BMC	Gray Cast Iron Φ31.75mm
	YLK-HV1901 (FRAGOKOV)		Gray Cast Iron Φ19.05mm 54mm 2_Φ8.5 1_M16×1.5_6H 1_M12×1_6H